International Journal of

Quantum Chemistry

Volumes 43 and 44, 1992

HONORARY EDITORIAL BOARD

Gerhard Herzberg
Ottawa, Canada

Kenichi Fukui
Kyoto, Japan

EDITORIAL OFFICE

Editor-in-Chief:

Per-Olov Löwdin
Uppsala, Sweden and Gainesville, Florida

Editors:

Jean-Louis Calais
Uppsala, Sweden

N. Yngve Öhrn
Gainesville, Florida

Associate Editors:

Erkki Brändas
Uppsala, Sweden

Osvaldo Goscinski
Uppsala, Sweden

John R. Sabin
Gainesville, Florida

Michael Zerner
Gainesville, Florida

Editorial Board:

Tang Au-Chin
Changchun, China
R. Daudel
Paris, France
E. Davidson
Bloomington, Indiana
G. G. Hall
Kyoto, Japan
L. Jansen
Geneva, Switzerland
M. Kotani
Tokyo, Japan
N. H. March
Oxford, England
R. McWeeny
Pisa, Italy
S. Nagakura
Okazaki, Japan
K. Ohno
Sapporo, Japan
R. G. Parr
Chapel Hill, North Carolina
R. Pauncz
Haifa, Israel
J. A. Pople
Pittsburgh, Pennsylvania
A. Pullman
Paris, France
B. Pullman
Paris, France
H. Shull
Boulder, Colorado

ADVISORY EDITORIAL BOARD

J. Almlöf
R. F. W. Bader
C. Bauschlicher
M. Bénard
F. Bernardi
J. Bertran
D. Bishop
T. Bouman
R. Carbó
P. Carsky
L. Cederbaum
G. Del Re
J. Delhalle
H. Fukutome
M. García-Sucre
J. Gerratt
N. C. Handy
Aa. E. Hansen
J. E. Harriman
B. Jeziorski
P. Jorgensen
J. Jortner
U. Kaldor
M. Karelson
J. Katriel
M. Kibler
D. Klein
M. Klessinger
S. Lunell
Z. B. Maksic
J. P. Malrieu
P. Mezey
H. Monkhorst
J. Oddershede
B. T. Pickup
P. Pulay
M. A. Ratner
W. G. Richards
D. Salahub
E. O. Steinborn
A. J. Thakker
O. Tapia
S. B. Trickey
T. Yamabe
R. Zahradník
L. Zülicke

an Interscience® Publication, published by **JOHN WILEY & SONS**

The *International Journal of Quantum Chemistry* (ISSN 0020-7608) is published semimonthly with two extra issues in November by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.
Copyright © 1992 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful. Second-class postage paid at New York, New York, and at additional mailing offices.
The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law.
This consent does not extend to the other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective work, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.
Subscription price (1992): $2,580.00 per year. Outside U.S.A.: $2,905.00 (air service and handling included). Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher. Allow four weeks to process a change of address. For subscription inquiries, please call customer service at (212) 850-6645 or write to the above address.
Claims for undelivered copies will only be accepted after the following issue has been received. Please enclose mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.
Postmaster: Send address changes to International Journal of Quantum Chemistry, Susan Malawski, Fulfillment Manager, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.
Advertising Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158; (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO 19 1UD, England.
Manuscripts should be submitted in triplicate and accompanied by an executed Copyright Transfer Form to the Editorial Office, *International Journal of Quantum Chemistry,* Quantum Chemistry Group, University of Uppsala, Box 518, S-75120, Uppsala, Sweden. Authors may also submit manuscripts to the Editorial Office, *International Journal of Quantum Chemistry,* Quantum Theory Project, Williamson Hall, University of Florida, Gainesville, Florida, 32611. **Information for Contributors** appears in the first and last issue of each volume. **All other correspondence** should be addressed to the *International Journal of Quantum Chemistry,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158, U.S.A. The contents of this journal are indexed by the following: *Current Contents/ Physical, Chemical and Earth Sciences; Science Citation Index; Chemical Abstracts; and Chemical Titles.*

This journal is printed on acid-free paper.

INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. 44, 1081–1085 (1992)

Subject Index to Volumes 43 and 44

Please note that A refers to Volume 43 and B refers to Volume 44.

3′-Azido-3′-deoxythymidine (AZT), 743B

α-α receptors, 181B
Ab initio, 221A, 363B, 427B, 669A
Ab initio calculations, 691B, 869B
Ab initio Hartree–Fock method, 783A
Ab initio LCAO–MO method, 301B
Ab initio methods, 839B
Ab initio MO calculations, 319B, 573A
Ab initio molecular orbital theory, 595A
Ab initio oligomer calculations, 147A
Ab initio quantum molecular computations, 511A
Ab initio SCF MO calculations, 327B
Agostic interaction, 853B
AM1 calculations, 181B
AM1 empirical studies, 759B
AM1 methods, 813A
AM1 molecular orbital method, 869B
AM1 SCF–MO–CI calculations, 785B
AM1 semiempirical method, 81B
AM1 semiempirical study, 699B
AMPAC, 723B
Annealing, 619B
Antarafacial component, 469B
Atomic orbital overlap, 643B
Atomic wave functions, 393B
Atoms, 677A
Average virtual orbitals (AVOs), 1045B
Axial ligands, 251B

B function basis sets, 45B
Basic symmetry property, 123B
Basis sets, 801A, 985B, 997B
Basis-set calculations, 733A
BCS theory, 551A
Bethe–Salpeter equation, 949B
Bilirubin, 141B
Binding, 235B
Biological substrates, 549B
Biuret (B), 301B
Bond lengths, 1057B
Borane reduction, 795B
Bridged compounds, 691B
Broken symmetry solutions, 949B
BSEE-free SCF algorithm, 801A

C-9 substituent, 165B
C_3NH carbene, 215A
Cannabinoid analgesics, 165B
Carbene isomers, 215A
CASSCF optimization problem, 827A
Catalytic behavior, 1015B
Cationic base-pair adducts, 587B, 605B
Charge sensitivity analysis (CSA), 1027B
Charge-consistency, 769A
CHARMm force field, 235B
Chemical Hamiltonian approach (CHA/F), 801A
Chemical binding, 701A
Chemical shift, 327A
Chromophore molecular geometry, 61A
Classical trajectories, 625A
ClogP algorithm, 219B
CNINDO MO calculations, 679B
Complex plane, 375A
Complex scaling, 209A
Configuration interaction (CI), 1045B , 551A
Configuration interaction (CI) wave functions, 701A
Conformational analysis, 619B
Conformationally dependent hydrophobic index, 203B
Conjugate gradient (CG) routine, 277B
Conjugated polymers, 147A
Consistent parametrization, 517B
Contact ion pairs, 449B
Continuous spectrum, 531A
Cooperativity, 679B
Coordinate transformations, 855A
Coordinates, 209A
Correlation effects, 221A
Correlation energy, 755A
Coulomb Green functions, 405B, 897B
Coulomb hole function, 565B
Coupled clusters (CC) theory, 221A
Coupled momenta eigenfunctions, 393B
Coupling, 595A, 759B

© 1992 John Wiley & Sons, Inc.

Covalent ligand–metal interactions, 853B
Cycloaddition reaction, 669A

d orbitals, 807B
DAN, 159A
Dense media, 1B
Density functional theory, 769A
Density functional theory (DFT) methods, 463A
Dewar, Michael, 423B
Diatomic molecules, 393B, 747A
Differential overlap model, 327A
Dipole moments, 463A
Dipole polarizabilities, 463A
Dispersion, 83A
DMol, 113B
DNA lesions, 605B
Dynamic reaction rate, 1B

EHMO program, 343A
Electric-field mapping, 579A
Electromagnetic fields, 935B
Electron correlation, 701A
Electron correlation effects, 91A
Electron population variables, 353A
Electron–electron interaction mechanism, 551A
Electron–vibrational coupling, 393A, 425A
Electron-hole, 337B
Electron-pair, 337B
Electron-withdrawing substituents, 327A
Electronegativity, 327B
Electronic absorption spectra, 379B
Electronic correlation, 337B
Electronic coupling, 839B
Electronic energy matrix, 393B
Electronic excited states, 7A
Electronic structure, 197A, 1015B
Electronic structure studies, 5A
Electronic-charge distribution, 425A
Embedding potential, 997B
Energy derivative approach, 659A
Energy minimization, 723B
Enzymes, 699B
Epstein–Nesbet (EN) perturbation theory, 755A
Exact nonlinear optical coefficients, 37A
Exchange-correlation potential, 1041B
Excited states, 827A
Exciton energies, 321A
Expectation value, 659A
Exponential-type orbitals, 45B
Extended π systems, 497B
Extended systems, 281A, 733A

f orbitals, 343A
F1*s* core hole, 573A
Ferrocene molecule, 197A
Ferromagnetic exchange, 785B
Feynman's path integral, 677A
First-order properties, 659A
Floppy molecules, 1057B
Fluorohydrocarbons, 363B
Formamide, 679B
Franck–Condon factors (FCF), 747A
Frequency-dependent hyperpolarizabilities, 91A
Fukui function (FF), 1027B
Functional groups, 647A

Gap formation, 415A
Gauge symmetric band model, 481A
Gauss parametrization, 827A
Gaussian basis sets, 463A
Geminals, 301A
Genetic algorithms (GA), 277B
Global configuration search methods, 277B
Global energy minimum, 619B
Graph-theoretical method, 175A
Green's function, 259A
Group electronegativity (GE), 1027B
Guanine protonation, 587B

H-bonded systems, 897B
H-bonding, 869B
Halogens, 807B
Hamiltonian, 831B, 897B
Hammond's postulate (HP), 567A
Harbola–Sahni potential, 1041B
Harmonic oscillator, 747A
Harmonic oscillator model, 1B
Hartmann system, 625A
Hartree–Fock (HF) ground-state wave function, 251A
Hartree–Fock approximation, 321A
Hartree–Fock energy, 313A
Hartree–Fock self-consistent field (HFSCF), 301A
Hartree–Fock (HF) approximation, 949B
Hartree–Fock (HF) methods, 1041B
Hartree–Fock method, 839B
Helical symmetry, 321A
Helium, 83A
Hessian eigenvalue representation, 855A
Hydrogen bonding, 679B
Hydrogen bonds, 141B
Hydroxamic acids, 319B
Hyperpolarizabilities, 7A, 135A, 159A, 497B
Hypervalent molecules, 807B
Hypervalent silicon anions, 691B

Imidazolidines, 795B
INDO ground-state calculations, 853B

INDO method, 477B
INDO methods, 251B
Interelectronic exchange coupling, 785B
Intermolecular interactions, 81B
Internuclear distance, 643B
Intramolecular charge sensitivity analysis (ICSA), 67B
Isoelectronic relations, 17B
Isomerization reactions, 567A
Isotopic substitution, 363B

John Anthony Pople, 311A

Keggin anion, 1015B

L_2 basis, 531A
LCAO method, 123B
LCAO–MO–SCF method, 743B
Lehmann/Goerisch method, 59B
Linear dependence, 733A
Linearly averaged position moments (LAPM) relationships, 985B
Local density funtional theory (DFT–LDA), 113B
Localized orbitals, 221A
Lower-bound calculation, 59B

μ-opioid receptor, 235B
Magnetic susceptibility (χ), 935B
Many-center two-electron integrals, 273A
Matrix elements, 281A
Maximum overlap symmetry molecular orbital (MOSMO) model, 123B
Met-enkephalin, 263B
Metal–metal quadruple bonds, 343A
Metal–ring distance, 197A
MNDO, 813A
MNDO calculations, 449B
MNDO formalism, 807B
MNDO method, 579A
MNDO–PM3 semiempirical study, 699B
MO calculations, 379B
Modified all-valence INDO method, 831B
Modified neglect of diatomic overlap (MNDO) method, 533B
Molecular aggregation, 135A
Molecular clusters, 135A
Molecular dynamics simulations, 291B
Molecular electronic structures, 27A
Molecular electrostatic potentials, 113B
Molecular hyperpolarizabilities, 773B
Molecular mechanics, 543B
Molecular monolayers, 375A
Molecular optoelectronics, 159A
Molecular orbital (MO), 67B
Molecular orbital calculations, 141B
Molecular partition coefficients, 219B
Molecular polarity, 215A
Molecular polarizabilities, 773B
Molecular systems, 1027B
Molecular third-order nonlinear optical susceptibility, 27A
Molecular vibrations, 1057B
Molecular-orbital theory, 313A
Molecules, 5A, 677A
Møller–Plesset (MP) perturbation theory, 755A
MOPAC, 773B
Multicenter integrals, 45B

n-electron wave functions, 301A
NDDO/MC calculations, 565B
Ne-isoelectronic series, 1041B
Non-Hartree–Fock orbitals, 259A
Nonadiabatic molecular systems, 393A
Nonlinear optical (NLO) responses, 37A, 61A, 147A
Nonlinear optical properties, 119A
Nonlinear optical response, 5A
Normal orbital (NOO), 67B
Normal orbitals (NOO), 353A
Nuclear configuration space, 647A
Nuclear screening constants (σ), 935B
Nucleophiles, 759B

Octanol–water partition coefficient (log P), 203B
Odorant molecules, 549B
One-band linear case, 281A
One-dimensional two-electron systems, 251A
One-particle electron–phonon interaction term, 415A
One-range addition theorem, 405B
Opiate analogs, 235B
Optimized Gaussian expansions, 273A
"Orbit jumping", 769A
Orbital symmetry, 481A
Orbitally resolved charge sensitivity analysis (OR–CSA), 353A
Orbitals, 827A
Organic molecules, 7A

Parametrization, 517B
Peptide conformational analysis, 543B
Perturbation theory, 755A
PM3 calculations, 181B
Polarizabilities, 135A
Polyatomic molecules, 713A
Polystyrene models, 595A
Proteins, 291B

Proton affinities, 783A
Proton transfer, 699B
Proton transfer reactions, 587B, 605B
Protonation, 587B
Psychopharmacological liability, 165B
Push–pull ethylenes, 337B
Push–pull π system, 337B

QSAR scheme, 175A
Quadratic hyperpolarizabilities, 61A
Quantum cell models, 37A
Quantum mechanical parametrization, 203B
Quantum mechanical/molecular mechanical (QM/MM) potential, 405B, 897B
Quasi-degenerate perturbation theory, 643B

R-matrix, 997B
Radicals, 759B
Random search, 277B
Reaction paths, 567A
Regional embedding method, 997B
Ring-shaped potentials, 625A
Rotation–vibration coupling equations, 713A
RRKM theory, 449A

(*S*)Idazoxan, 181B
Saddle-point expansion, 313A
Scaling, 783A
SCF MO calculations, 813A
Schwinger's variational principle, 677A
Second dynamic hyperpolarizability, 83A
Second-order Møller–Plesset perturbation theory (MP2), 91A
Self-consistent field (SCF) wave functions, 701A, 985B
Semiconductors, 477B
Semiempirical AM1 method, 887B
Semiempirical AM1 study, 795B
Semiempirical approach to chemistry, 427B
Semiempirical calculations, 773B
Semiempirical electronic structure calculations, 691B
Semiempirical methods, 427B, 619B, 839B
Semiempirical MNDO Hamiltonian, 497B
Semiempirical MNDO method, 363B
Semiempirical MO methods, 517B
Semiempirical potential surfaces, 723B
Semiempirical SCF MO method, 549B, 565B
Simulated annealing, 619B
Simulated annealing (SA), 277B
Single-electron reduction, 449B
Slater determinants, 887B
Slater functions, 273A
Slater-type orbital (STO), 45B
Small-angle electron scattering, 701A
(*S*)Methoxyidazoxan, 181B
Solvation effects, 449A
Solvent effects, 291B
Spectroscopic properties, 17B
Spin distributions, 251B
Spin–orbit coupling, 831B
Spin-independent H^v matrix elements, 643B
Square-cell configurations, 375A
Stationary point locations (SPL), 855A
Steepest descent path (SDP), 855A
Stochastic reaction rate, 1B
Stoichiometry, 647A
Stretching force constants, 679B
Structure–activity relation studies, 743B
Structure–activity relationships, 579A
Structure–optical–property relationships, 773B
Structure–property dependence, 175A
Structure–property relation, 123B
Sulfur analogs, 301B
Sulfur mustard (mustard gas) (HD), 511A
Superconductivity (SC), 393A, 415A, 425A
Surface atomic structures, 533B
Symmetry, 197A

Tamm–Dancoff method, 321A
Tautomerism, 319B
Tetrazole derivatives, 813A
Thermal unimolecular isomerization, 363B
Tight-binding, total-energy (TBTE) models, 533B
Time-dependent Hartree–Fock (TDHF) theory, 119A
TiO_2 (rutile) clusters, 477B
Transition metal complexes, 565B
Transition metals, 327B
Transition states (TS), 669A
Transition-state models, 469B
Triplet states, 59B
TRIPOS force field, 543B
Tryptamines, 379B
Two-dimensional (2D) Hubbard model, 949B

UPS measurements, 477B

Valence-bond (VB) determinants, 281A
Valence-bond calculations, 887B
Variation–iteration method, 251A
Variational transition-state theories, 723B
Vertebrate olfactory reception, 549B
Vibration–rotation kinetic energy operator, 713A
Vibrational coupling model, 449A
Virial theorem, 209A
Virtual orbital spaces, 1045B

Water/1-octanol partition coefficient (log *P*), 219B
Wave functions, 301A
Wave-function renormalization problem, 531A
Wolf Prize in Chemistry, 311A
Woodward–Hoffmann (WH) Rules, 481A
XPS measurements, 477B
Yukawa potential, 405B
Zero differential overlap approximation, 887B
Zero-order Hamiltonian, 259A
Zwitterionic form, 263B

INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. 44, 1099–1106 (1992)

Author Index to Volumes 43 and 44

Please Note that A refers to Volume 43 and B refers to Volume 44.

Abdou, M. M. See Hamed, M. M., 379B
Abu-Eittah, R. H. See Hamed, M. M., 379B
Adams, N. P. See Banerjee, A., 855A
Ågren, H. See Nordfors, D., 413B
Aissing, G.
—; Monkhorst, H. J.: Linear Dependence in Basis-Set Calculations for Extended Systems, 733A
Alkorta, I.
—; Villar, H. O.: Quantum Mechanical Parametrization of a Conformationally Dependent Hydrophobic Index, 203B
Andreyev, V. A. See Falaleyev, A. G., 573A
Archibong, E. F. See Thakkar, A. J., 985B
Augspurger, J. D.
—; Dykstra, C. E.: Evolution of Polarizabilities and Hyperpolarizabilities with Molecular Aggregation: A Model Study of Acetylene Clusters, 135A

Bader, R. F. W. See Zou, P. F., 677A
Baker, J. D.
—; Zerner, M. C.: Calculation of ^{13}C-NMR Chemical Shift Using the Intermediate Neglect of Differential Overlap Model, 327A
Balcells, M. See Sola, M., 887B
Bañacký, P. See Svrček, M., 393A
—; See Svrček, M., 415A
—; See Svrček, M., 425A
—; See Svrček, M., 551A
Banerjee, A.
—; Adams, N. P.: On Coordinate Transformations in Steepest Descent Path and Stationary Point Locations, 855A
Bartlett, R. J. See Sekino, H., 119A
Baumgartner, M. T. See Pierini, A. B., 759B
Bertran, J. See Sola, M., 887B
Bhattacharjee, A. K. See Kumar, A., 579A
Bhattacharyya, S. P. See Majumdar, D., 567A
Bishop, D. M.
—; Pipin, J.: A Dispersion Formula for the Second Dynamic Hyperpolarizability as Exemplified by Helium, 83A
Bliznyuk, A. A. See Vasilyev, V. V., 897B

Bock, H. See Havlas, Z., 449B
Bockisch, F.
—; Liotard, D.; Rayez, J.-C.; Duguay, B.: Simulated Annealing to Locate Various Stationary Points in Semiempirical Methods, 619B
Bodor, N.
—; Prokai, L.: Intermediates of the Borane Reduction of Some Imidazolidines: An AM1 Study, 795B
—; Huang, M.-J.: Intramolecular Interactions of Methyl Acetate, β-Propiolactone, Ethyl Acetate, and γ-Butyrolactone: An AM1 Semiempirical Study, 81B
Borosky, G. L. See Pierini, A. B., 759B
Braga, M.
—; Larsson, S.: Calculation of the Long-Range Coupling Between Electrons in Lone Pairs and Double Bonds Using Semiempirical and Ab Initio Methods, 839B
Broch, H.
—; Viani, R.; Vasilescu, D.: Quantum Molecular Study of Sulfur Mustard, 511A
Bubel, O. N. See Ivashkevich, O. A., 813A
Burggraf, L. W. See Davis, L. P., 691B

Cai, T. X. See Chen, T. L., 1015B
Campoy, G.
—;Rivas-Silva, J. F. !Rivas-Silva, J. F.747A
Chen, G.-J.
—; Tang, A.-C.; Fu, X.-Y.: The Rotation–Vibration Coupling Equations for Polyatomic Molecules in Internal Coordinates, 713A
Chen, T. L.
—; Ji, J.; Xiao, S. X.; Cai, T. X.; Yan, G. S.: The Electronic Structure of Keggin Anion $(PW_{12}O_{40})^{3-}$ and Catalytic Properties, 1015B
Cheng, L.-T. See Dirk, C. W., 27A
Chin, S. See Sim, F., 463A
Christov, S. G.
The Dynamic and the Stochastic Reaction Rate Approaches to Nonradiative Processes in Condensed Media, 1B

© 1992 John Wiley & Sons, Inc.

Colvin, M. E. See Judson, R. S., 277B
Cometta-Morini, C.
—; Loew, G. H.: Structural and Electronic Requirements for Binding at the Mu-Opioid Receptor, 235B
Concha, M. C. See Murray, J. S., 113B
Cook, D. B.
Broken Symmetry in the Electronic Structure of the Ferrocene Molecule, 197A
Csizmadia, I. G. See Lagowski, J. B., 595A
Cubas, M. L. See Ventura, O. N., 699B

Da Motta Neto, J. D.
—; Zerner, M. C.; De Alencastro, R. B.: On the Implications of the Structure of 3′-Azido-3′-deoxythymidine and Related Compounds to Antiviral Activity, 743B
Da Silva, J. B. P.
—; Ramos, M. N.: Molecular Structure and Polarity of the C_3NH Carbene, 215A
Dannenberg, J. J.
—; Evleth, E. M.: A Critical Examination of H-Bonding Interactions Calculated Using the AM1 Molecular Orbital Method, 869B
Davidson, E. R. See Murray, C., 755A
Davis, L. P.
—; Burggraf, L. W.; Gordon, M. S.: Novel Pentacoordinated Bridged Silicon Anions, 691B
De Alencastro, R. B. See Da Motta Neto, J. D., 743B
De Groot, U. See Kleindienst, H., 59B
Deng, C. See Liu, C., 301A
Dewar, M. J. S.
The Semiempirical Approach to Chemistry, 427B
Dirk, C. W.
—; Cheng, L.-T.; Kuzyk, M. G.: A Simplified Three-Level Model Describing the Molecular Third-Order Nonlinear Optical Susceptibility, 27A
Dixon, D. A. See Matsuzawa, N., 497B
Du, P.
—; Loew, G. H.: Roie of Axial Ligand in the Electronic Structure of Model Compound I Complexes, 251B
Duan, W. See Tao, Y., 319B
Dubois, J.-E.
—; Mezey, P. G.: Relations Among Functional Groups within a Stoichiometry: A Nuclear Configuration Space Approach, 647A
Duguay, B. See Bockisch, F., 619B
Duran, M. See Sola, M., 887B
Dykstra, C. E. See Augspurger, J. D., 135A

Ernzerhof, M.
—; Marian, C. M.; Peyerimhoff, S. D.: On the Calculation of First-Order Properties: Expectation Value Versus Energy Derivative Approach, 659A
Evleth, E. M. See Dannenberg, J. J., 869B

Falaleyev, A. G.
—; Andreyev, V. A.; Vovna, V. I.: Ab Initio MO Calculations on the Stability of the CF_4^+, PF_5^+, SF_6^+, and MoF_6^+ Ions with the F1*s* Core Hole, 573A
Fang, D.
—; Fu, X.-Y.: Ab Initio Study on the Mechanism of Cycloaddition Reaction of Ketene with Methylenimine: A New Reaction Scheme, 669A
Filatov, M. J.
—; Zilberberg, I. L.; Zhidomirov, G. M.: NDDO/MC: A New Semiempirical SCF MO Method for Transition Metal Complexes, 565B
Ford, G. P.
—; Wang, B.: Prototropic Changes in Cationic Base-Pair Adducts. I. Guanine Protonation, 587B
—; Wang, B.: Prototropic Changes in Cationic Base-Pair Adducts. II. Guanine Methylation, 605B
Förner, W.
Formulation of the Coupled Cluster Theory with Localized Orbitals in Correlation Calculations on Polymers, 221A
Fortunelli, A.
Algebraic Formulae of Matrix Elements Between Valence-Bond Determinants for Periodic Systems: The One-Band Linear Case, 281A
Fox, M. A. See Wall, C. G., 543B
Freed, K. F. See Kanzler, A. W., 643B
Fronchek, E. V. See Ivashkevich, O. A., 813A
Fu, X.-Y. See Fang, D., 669A
—; See Chen, G.-J., 713A

Gaponik, P. N. See Ivashkevich, O. A., 813A
Garcia-Sucre, M.
Complex Scaling for Subsets of Coordinates and Associated Virial-Type Relations, 209A
Gaylord, D. R. See Laurenzi, B. J., 17B
Glebov, A. N. See Sadykova, A. Yu., 935B
Glinkin, O. B. See Katyurin, S. V., 251A
Godin, T. J.
—; LaFemina, J. P.: Comparison of MNDO to Tight-Binding, Total-Energy Methods for

Surface Atomic Structure Determination: Aluminum Phosphide (110), 533B
Gordon, M. S. See Davis, L. P., 691B
Gutierrez, D. See Judson, R. S., 277B
Hagfeldt, A.
—; Siegbahn, H.; Lindquist, S.-E.; Lunell, S.: Semiempirical Calculations of TiO_2 (Rutile) Clusters, 477B
Hamed, M. M.
—; Abu-Eittah, R. H.; Mobark, Z.; Abdou, M. M.: A Molecular Orbital Treatment of the Electronic Spectra of Some Tryptamines, 379B
Handy, N. C. See Rice, J. E., 91A
Hargittai, I. See Hargittai, M., 1057B
Hargittai, M.
—; Hargittai, I.: Experimental and Computed Bond Lengths: The Importance of Their Differences, 1057B
Hariharan, S.
—; Shelver, W. H.: Conformational Studies of (*S*)Idazoxan and (*S*)Methoxyidazoxan Using AM1 and PM3 Semiempirical Molecular Orbital Methods, 181B
Havlas, Z.
—; Nick, S.; Bock, H.: MNDO Calculations as a Valuable Tool for Structure Evaluation of Contact Ion Pairs, 449B
Hayden, G. W. See Soos, Z. G., 37A
Healy, E. F. See Wall, C. G., 543B
Holleboom, L. J.
—; Snijders, J. G.: Green's Function Calculations Using Non-Hartree–Fock Orbitals, 259A
Homeier, H. H. H.
—; Weniger, E. J.; Steinborn, E. O.: Simplified Derivation of a One-Range Addition Theorem of the Yukawa Potential, 405B
—; See Perevozchikov, V. I., 45B
Hu, H. See Liu, C., 301A
Huang, M.-J. See Bodor, N., 81B
Huffer, A. See Judson, R. S., 277B

Ivashkevich, O. A.
—; Gaponik, P. N.; Koren, A. O.; Bubel, O. N.; Fronchek, E. V.: Comparative Semiempirical Calculations of Tetrazole Derivatives, 813A

Jahns, V.
—; Köstlmeier, S.; Kotzian, M.; Rösch, N.; Watson, P. L.: On the Agostic Interaction in Lanthanide Phenylene Complexes: An INDO Study of $[(Cp^*_2M)_2C_6H_4]$ (M = Sc, Lu) Employing an Energy-Partitioning Analysis, 853B
Jayasuriya, K.
Substituents Effects in Phospha Alkynes: A Computational Investigation, 327B
Jensen, H. J. Aa. See Nordfors, D., 413B
Ji, J. See Chen, T. L., 1015B
Jin, B. See Liu, C., 301A
Jørgensen, P.
Review of *Algebraic and Diagrammatic Methods in Many-Fermion Theory*, by F. E. Harris, H. J. Monkhorst, and D. L. Freeman, 1069B
Judson, R. S.
—; Colvin, M. E.; Meza, J. C.; Huffer, A.; Gutierrez, D.: Do Intelligent Configuration Search Techniques Outperform Random Search for Large Molecules?, 277B
Jug, K.
—; Krack, M.: Consistent Parametrization of Semiempirical MO Methods, 517B

Kakkar, R.
—; Walia, V.: Theoretical Study of the Thermal Unimolecular Rearrangement of Fluoroethylidenes, 363B
Kanis, D. R.
—; Marks, T. J.; Ratner, M. A.: Calculation of Quadratic Hyperpolarizabilities for Organic π Electron Chromophores: Molecular Geometry Sensitivity of Second-Order Nonlinear Optical Response, 61A
Kanzler, A. W.
—; Freed, K. F.; Sheppard, M. G.: Spin-Independent Three-Body Effective Valence-Shell Operators: Application to Molecular Oxygen, 643B
Karafiloglou, P.
—; Sánchez Marcos, E.: Investigating the Possibility of Simultaneously Finding an Electron-Hole and an Electron-Pair in a Molecule: Delocalization, Competition of Ionic vs. Covalent Character, and Related Effects in Push–Pull Ethylenes, 337B
Katyurin, S. V.
—; Glinkin, O. B.: Variation–Iteration Method for One-Dimensional Two-Electron Systems, 251A
Khait, Yu. G.
—; Panin, A. I.: CASSCF Optimization Problem for a Group of Excited States, 827A
Kibler, M.
—; Lamot, G.-H.; Winternitz, P.: Classical

Trajectories for Two Ring-Shaped Potentials, 625A
Kimura, M. See Sasaki, Y., 701A
Kirtman, B.
Nonlinear Optical Properties of Conjugated Polymers from Ab Initio Finite Oligomer Calculations, 147A
Kleindienst, H.
—; De Groot, U.: An Accurate Lower-Bound Calculation of the Lowest Triplet States of He and Its Isoelectronic Series, 59B
Koga, T. See Thakkar, A. J., 985B
Konaka, S. See Sasaki, Y., 701A
Korchowiec, J.
—; Nalewajski, R. F.: Group Electronegativity and Fukui Function Studies of the Substituent Effects in Aromatic and Inorganic Systems, 1027B
Koren, A. O. See Ivashkevich, O. A., 813A
Köstlmeier, S. See Jahns, V., 853B
Kostochko, A. V. See Sadykova, A. Yu., 935B
Kotzian, M. See Jahns, V., 853B
Krack, M. See Jug, K., 517B
Kruglevsky, V.
Electronic Hamiltonian of Diatomic Molecules in the Basis of Coupled Momenta Eigenfunctions, 393B
Kryachko, E. S.
—; Ludeña, E. V.: Formulation of *N*- and *v*-Representable Density Functional Theory. V. Exchange-Only Self-Consistent Field, 769A
Kumar, A.
—; Bhattacharjee, A. K.; Mishra, P. C.: Electric-Field Mapping of Some Substituted 3-Pyridinecarboxylic Acid Cardiotonics and the Possible Structure–Activity Relationships, 579A
Kuzyk, M. G. See Dirk, C. W., 27A

LaFemina, J. P. See Godin, T. J., 533B
Lagowski, J. B.
—; Csizmadia, I. G.; Vancso, G. J.: Polystyrene Models. II. Ab Initio Study of Isobutylbenzene, 595A
Lahti, P. M.
A Semiempirical Investigation of Interelectronic Exchange Coupling in Bisected Poly(1,4-phenylene) Polycation Model Systems, 785B
Lamot, G.-H. See Kibler, M., 625A
Larsson, S. See Braga, M., 839B
Laurenzi, B. J.
—; Gaylord, D. R.: The Variation of Spectroscopic Properties with Numbers of Electrons, 17B
Lee, S.-L. See Lu, Y.-J., 773B
Leszczyński, J.
—; Sullivan, R. H.: Biuret and Its Sulfur Analogs: Structures and Energies, 301B
Li, M.
Study on Some Metal–Metal Quadruple Bonds, 343A
Lindquist, S.-E. See Hagfeldt, A., 477B
Liotard, D. See Bockisch, F., 619B
Liotard, D. A.
Algorithmic Tools in the Study of Semiempirical Potential Surfaces, 723B
Lipiński, J. See Roszak, S., 831B
Liu, C.
—; Deng, C.; Jin, B.; Hu, H.: Applications of *n*-Electron Wave Functions Built Up with Two Kinds of Geminals, 301A
Lledos, A. See Sola, M., 887B
Loew, G. H. See Cometta-Morini, C., 235B
—; See Du, P., 251B
—; See Perez, J. J., 263B
Löwdin, P.-O.
International Journal of Quantum Chemistry—A Journal Devoted to Quantum Theory and Computations in Chemistry, Condensed Matter Physics, and Biology: Editorial—Program and Policies, 3A
—; Zerner, M.: Introduction to Paper Symposium on Semiempirical Methods in Quantum Chemistry and Solid-State Theory, 421B
Lu, Y.-J.
—; Lee, S.-L.: Semiempirical Calculations of Molecular Polarizabilities and Hyperpolarizabilities of Polycyclic Aromatic Compounds, 773B
Ludeña, E. V. See Kryachko, E. S., 769A
Lund, A. See Tachikawa, H., 449A
Lunell, S.
Review of *Radical Ionic Systems: Properties in Condensed Phases. Topics in Molecular Organization and Engineering.* edited by A. Lund and M. Shiotani, 437A
—; See Tachikawa, H., 449A
—; See Hagfeldt, A., 477B

Maity, D. K. See Majumdar, D., 567A
Majumdar, D.
—; Bhattacharyya, S. P.; Maity, D. K.: Local Hammond Postulate and a Local Model for Monitoring Reaction Paths, 567A

Marañón, J.
Saddle-Point Expansion in Molecular-Orbital Theory, 313A
Marian, C. M. See Ernzerhof, M., 659A
Marks, T. J. See Kanis, D. R., 61A
Maslov, I. V. See Perevozchikov, V. I., 45B
Matsuyama, H. See Thakkar, A. J., 985B
Matsuzawa, N.
—; Dixon, D. A.: Semiempirical Calculations of Hyperpolarizabilities for Extended π Systems: Polyenes, Polyynes, and Polyphenyls, 497B
Mayer, I. See Vibók, Á., 801A
McWilliams, P. C. M. See Soos, Z. G., 37A
Mehler, E. L. See Solmajer, T., 291B
Meza, J. C. See Judson, R. S., 277B
Mezey, P. G. See Walker, P. D., 375A
—; See Dubois, J.-E., 647A
Mishra, P. C. See Kumar, A., 579A
Mobark, Z. See Hamed, M. M., 379B
Mogensen, B. J.
—; Rettrup, S.: Average Virtual Orbitals in Configuration Interaction Studies with Application to the Low-Lying Singlet States of the Carbon Monoxide and Acetone Molecules, 1045B
Monkhorst, H. J. See Aissing, G., 733A
Montagnani, R.
—; Salvetti, O.: Computation of Two-, Three-, and Four-Center Exchange Integrals Over Slater Basis by Means of Optimized Gaussian Expansions, 273A
Moozyukov, V. G. See Sadykova, A. Yu., 935B
Morley, J. O.
—; Pavlides, P.; Pugh, D.: On the Calculation of the Hyperpolarizabilities of Organic Molecules by the Sum Over Virtual Excited States Method, 7A
Mrozek, J. See Nalewajski, R. F., 353A
Munn, R. W.
Theory of Molecular Optoelectronics. IX. Calculation of $\chi^{(2)}$ from Theoretical Hyperpolarizabilities for DAN, 159A
Murray, C.
—; Davidson, E. R.: Different Forms of Perturbation Theory for the Calculation of the Correlation Energy, 755A
Murray, J. S.
—; Seminario, J. M.; Concha, M. C.; Politzer, P.: An Analysis of Molecular Electrostatic Potentials Obtained by a Local Density Functional Approach, 113B
Myers, L. J. See Wu, C. S., 549B

Nalewajski, R. F.
—; Mrozek, H.: Resolved ChargeSensitivity Analysis: Basic Concepts and Relations, 353A
Erratum to "Normal (Decoupled) Representation of Electronegativity Equalization Equations in a Molecule", 443A
Internal Orbitally Resolved Charge Sensitivity Analysis, 67B
—; See Korchowiec, J., 1027B
Nick, S. See Havlas, Z., 449B
Niukkanen, A. W. See Perevozchikov, V. I., 45B
Nordfors, D.
—; Ågren, H.; Jensen, H. J. Aa.: Erratum to "MCSCF/MCLR Studies of Potential Energy Surfaces, Spectra, and Properties of the X^1A_1 and a^3B_2 States of Ozone, 413B

Ozaki, M. See Yamamoto, S., 949B
Ozment, J. L.
—; Schmiedekamp, A. M.: Proton Affinities of Molecules Containing Nitrogen and Oxygen: Comparing Ab Initio and Semiempirical Results to Experiments, 783A

Palma, A. See Rivas-Silva, J. F., 747A
Panin, A. I. See Khait, Yu. G., 827A
Pavlides, P. See Morley, J. O., 7A
Perevozchikov, V. I.
—; Maslov, I. V.; Niukkanen, A. W.; Homeier, H. H. H.; Steinborn, E. O.: On the Combination of Two Methods for the Calculation of Multicenter Integrals Using Exponential-Type Orbitals, 45B
Perez, J. J.
—; Loew, G. H.; Villar, H. O.: Conformational Study of Met-Enkephalin in Its Zwitterionic Form, 263B
Peyerimhoff, S. D. See Ernzerhof, M., 659A
Pierini, A. B.
—; Borosky, G. L.; Baumgartner, M. T.: An AM1 Study of the Coupling Reaction of Radicals with the Acetone Enolate Ion and Some Related Nucleophiles, 759B
Pipin, J. See Bishop, D. M., 83A
Politzer, P. See Murray, J. S., 113B
Prokai, L. See Bodor, N., 795B
Pugh, D. See Morley, J. O., 7A

Ramos, M. N. See Da Silva, J. B. P., 215A

Ratner, M.
Electronic Structure Studies of Nonlinear Optical Response in Molecules: An Introduction, 5A
Ratner, M. A. See Kanis, D. R., 61A
Rayez, J.-C. See Bockisch, F., 619B
Reggio, P. H.
A Search for Properties Which Produce Discrimination Between Cannabinoid Psychoactivity and Analgesic Activity, 165B
Rettrup, S. See Mogensen, B. J., 1045B
Rice, J. E.
—; Handy, N. C.: The Calculation of Frequency-Dependent Hyperpolarizabilities Including Electron Correlation Effects, 91A
Richards, N. G. J.
—; Williams, P. B.; Tute, M. S.: Empirical Methods for Computing Molecular Partition Coefficients: II. Inclusion of Conformational Flexibility within Fragment-Based Approaches, 219B
Rivas-Silva, J. F.
—; Campoy, G.; Palma, A.: Improving an Algebraic Approach to Calculate Approximate Franck–Condon Factors of Diatomic Molecules, 747A
Romanowska, K.
The Application of the Graph-Theoretical Method in the QSAR Scheme: Possibilities and Limits, 175A
Rösch, N. See Jahns, V., 853B
Rosenberg, H. See Shelver, W. L., 141B
Roszak, S.
—; Lipiński, J.: The Modified All-Valence INDO Method with the Inclusion of Spin–Orbit Coupling, 831B
Rzepa, H. S.
—; Wylie, W. A.: Transition-State Structures for the Reaction Between Styrene and ^{t}Butyl Cyanoketene: Theoretical Evidence for Antarafacial Characteristics in a $\pi^2 + \pi^2$ Thermal Cycloaddition, 469B

Sadykova, A. Yu.
—; Saykaeva, A. S.; Kostochko, A. V.; Glebov, A. N.; Moozyukov, V. G.: Magnetic Susceptibility of Some Derivatives of Cellulose and Their Mixtures: Theory and Experiment, 935B
Salahub, D. R. See Sim, F., 463A
Salvetti, O. See Montagnani, R., 273A
Samuel, J.
—; Sen, K. D.: Static Polarizabilities for the Ne-Isoelectronic Series Using Harbola–Sahni Potential, 1041B
Sánchez Marcos, E. See Karafiloglou, P., 337B
Sasaki, Y.
—; Takeuchi, H.; Konaka, S.; Kimura, M.: Small-Angle Electron Scattering by Formaldehyde and Ketene: Effects of Electron Correlation and Chemical Binding, 701A
Saykaeva, A. S. See Sadykova, A. Yu., 935B
Schmiedekamp, A. M. See Ozment, J. L., 783A
Sekino, H.
—; Bartlett, R. J.: New Algorithm for High-Order Time-Dependent Hartree–Fock Theory for Nonlinear Optical Properties, 119A
Seminario, J. M. See Murray, J. S., 113B
Sen, K. D. See Samuel, J., 1041B
Shelver, W. H. See Shelver, W. L., 141B
—; See Hariharan, S., 181B
Shelver, W. L.
—; Rosenberg, H.; Shelver, W. H.: Molecular Conformation of Bilirubin from Semiempirical Molecular Orbital Calculations, 141B
Sheppard, M. G. See Kanzler, A. W., 643B
Shivaglal, M. C.
—; Singh, S.: Effect of Hydrogen Bonding and Cooperativity on Stretching Force Constants of Formamide, 679B
Siegbahn, H. See Hagfeldt, A., 477B
Sim, F.
—; Salahub, D. R.; Chin, S.: The Accurate Calculation of Dipole Moments and Dipole Polarizabilities Using Gaussian-Based Density Functional Methods, 463A
Singh, S. See Shivaglal, M. C., 679B
Smelov, G. V.
Calculation of the Probabilities for Transitions into the Continuous Spectrum by Using the L_2 Basis: A New Method of Solving the Wave-Function Renormalization Problem, 531A
Snijders, J. G. See Holleboom, L. J., 259A
Sola, M.
—; Balcells, M.; Duran, M.; Lledos, A.; Bertran, J.: Valence-Bond Calculations on ZnO and HgO Using Integrals Computed through the Semiempirical AM1 Method, 887B
Solmajer, T.
—; Mehler, E. L.: Modeling Solvent Effects

in Molecular Dynamics Simulations of Proteins, 291B
Soos, Z. G.
—; McWilliams, P. C. M.; Hayden, G. W.: Exact Nonlinear Optical Coefficients of Quantum Cell Models with Interacting Electrons, 37A
Squire, A. E.
—; Squire, R. H.: A Gauge Symmetric Band Model of the Woodward–Hoffmann Rules, 481A
Squire, R. H. See Squire, A. E., 481A
Steinborn, E. O. See Homeier, H. H. H., 405B
—; See Perevozchikov, V. I., 45B
Strich, A.
Review of *Quantum Chemistry, 4th ed.*, by Ira N. Levine, 439A
Review of *Elementary Quantum Chemistry, 2nd ed.*, by Frank L. Pilar, 439A
Sullivan, R. H. See Leszczyński, J., 301B
Svrček, M.
—; Bañacký, P.; Zajac, A.: Nonadiabatic Theory of Electron–Vibrational Coupling: New Basis for Microscopic Interpretation of Superconductivity, 393A
—; Bañacký, P.; Zajac, A.: Molecular Aspects of Superconductivity: The Role of the One-Particle Term at the Gap Formation, 415A
—; Bañacký, P.; Zajac, A.: Superconductivity—The Phenomenon Conditioned by Nuclear Microflows in Nonadiabatic Systems, 425A
—; Bañacký, P.; Zajac, A.: Superconductivity and the Effective Electron–Electron Interaction Mechanism in the Light of the Configuration Interaction Study, 551A

Tachikawa, H.
—; Lunell, S.; Törnkvist, C.; Lund, A.: Theoretical Study on Solvation Effects in Chemical Reactions: A Vibrational Coupling Model, 449A
Takeuchi, H. See Sasaki, Y., 701A
Tang, A.-C. See Chen, G.-J., 713A
Tao, Y.
—; Duan, W.: An Ab Initio Study of Tautomerism Between Formhydroxamic Acid and Formhydroximic Acid, 319B
Thakkar, A. J.
—; Koga, T.; Matsuyama, H.; Archibong, E. F.: Constrained Self-Consistent-Field Wave Functions with Improved Long-Range Behavior, 985B
Thiel, W.
—; Voityuk, A. A.: Extension of MNDO to *d* Orbitals: Parameters and Results for the Halogens, 807B
Törnkvist, C. See Tachikawa, H., 449A
Tute, M. S. See Richards, N. G. J., 219B

Vancso, G. J. See Lagowski, J. B., 595A
Vasilescu, D. See Broch, H., 511A
Vasilyev, V. V.
—; Bliznyuk, A. A.; Voityuk, A. A.: A Combined Quantum Chemical/Molecular Mechanical Study of Hydrogen-Bonded Systems, 897B
Ventura, O. N.
—; Cubas, M. L.: A Semiempirical Study of the Reaction of the Hemimercaptal of Methylglyoxal and Glutathione at the Active Center of Glyoxalase I, 699B
Viani, R. See Broch, H., 511A
Vibók, Á.
—; Mayer, I.: A BSSE-Free SCF Algorithm for Intermolecular Interactions. II. Sample Calculations on Hydrogen-Bonded Complexes, 801A
Villar, H. O. See Alkorta, I., 203B
—; See Perez, J. J., 263B
Voityuk, A. A. See Thiel, W., 807B
—; See Vasilyev, V. V., 897B
Vovna, V. I. See Falaleyev, A. G., 573A
Vracko, M. G.
—; Zaider, M.: A Calculation of Exciton Energies in Periodic Systems with Helical Symmetry: Application to a Hydrogen Fluoride Chain, 321A

Walia, V. See Kakkar, R., 363B
Walker, P. D.
—; Mezey, P. G.: Representation of Square-Cell Configurations in the Complex Plane: Tools for the Characterization of Molecular Monolayers and Cross Sections of Molecular Surfaces, 375A
Wall, C. G.
—; Healy, E. F.; Fox, M. A.: Peptide Conformational Analysis Using the TRIPOS Force Field, 543B
Wang, B. See Ford, G. P., 587B
—; See Ford, G. P., 605B
Watson, P. L. See Jahns, V., 853B
Weniger, E. J. See Homeier, H. H. H., 405B
Williams, P. B. See Richards, N. G. J., 219B
Winternitz, P. See Kibler, M., 625A
Worley, S. D. See Wu, C. S., 549B

Wu, C. S.
—; Myers, L. J.; Worley, S. D.: A Semiempirical SCF MO Study of the Interaction of Odorant Molecules with a Biological Substrate, 549B
Wylie, W. A. See Rzepa, H. S., 469B

Xiao, S. X. See Chen, T. L., 1015B

Yamamoto, S.
—; Ozaki, M.: Broken Symmetry Solutions of the Two-Dimensional Extended Hubbard Model and Their Instability Conditions, 949B
Yan, G. S. See Chen, T. L., 1015B

Zaider, M. See Vracko, M. G., 321A
Zajac, A. See Svrček, M., 393A
—; See Svrček, M., 415A
—; See Svrček, M., 425A
—; See Svrček, M., 551A
Zerner, M. See Löwdin, P.-O., 421B
Zerner, M. C. See Baker, J. D., 327A
—; See Da Motta Neto, J. D., 743B
Zhan, C. G.
Maximum Overlap Symmetry Molecular Orbital Model, 123B
Zhidomirov, G. M. See Filatov, M. J., 565B
Zilberberg, I. L.
—; See Filatov, M. J., 565B
Zou, P. F.
—; Bader, R. F. W.: Variational Principle and Path Integrals for Atoms in Molecules, 677A
A Regional Embedding Method, 997B